

Mustamin\_Sirajuddin\_Tapriadi.pdf Sep 29, 2020 3066 words / 16947 characters

#### Mustamin, Sirajuddin, Tapriadi

# Score consumption of funtional food

#### Sources Overview

13%

#### OVERALL SIMILARITY

1	Maryville University on 2015-07-01 SUBMITTED WORKS	2%
2	Universitas Airlangga on 2020-07-24 SUBMITTED WORKS	2%
3	TAFE Queensland Brisbane on 2018-04-28 SUBMITTED WORKS	1%
4	Grand Canyon University on 2013-04-22 SUBMITTED WORKS	1%
5	Universitas Airlangga on 2019-06-28 SUBMITTED WORKS	1%
6	Universitas Airlangga on 2020-09-03 SUBMITTED WORKS	1%
7	University of Sydney on 2019-05-27 SUBMITTED WORKS	<1%
8	Flinders University on 2018-03-25 SUBMITTED WORKS	<1%
9	University of Wales, Bangor on 2018-12-03 SUBMITTED WORKS	<1%
10	University of Edinburgh on 2014-03-30 SUBMITTED WORKS	<1%
11	essex on 2019-10-10 SUBMITTED WORKS	<1%
12	University of Queensland on 2019-05-29 SUBMITTED WORKS	<1%
13	MGH Institute of Health Professions on 2012-07-12 SUBMITTED WORKS	<1%
14	University of Stellenbosch, South Africa on 2010-01-25 SUBMITTED WORKS	<1%

#### Excluded search repositories:

- Internet
- Publications
- Crossref

#### **Excluded from Similarity Report:**

Bibliography

#### **Excluded sources:**

- Olivet Nazarene University on 2019-10-26, submitted works, 18%
- Western Governors University on 2019-03-19, submitted works, 18%
- Universitas Sebelas Maret on 2020-06-26, submitted works, 8%
- Universitas Sebelas Maret on 2020-06-15, submitted works, 8%
- Universitas Jember on 2019-10-22, submitted works, 5%
- Universitas Airlangga on 2020-09-03, submitted works, 2%
- Lambung Mangkurat University on 2019-02-03, submitted works, 2%
- Universitas Hasanuddin on 2019-10-01, submitted works, 1%
- Universitas Hasanuddin on 2019-10-01, submitted works, 1%
- University of Glasgow on 2020-02-19, submitted works, 1%
- Valdosta State University on 2017-07-10, submitted works, 1%
- Natalia Botero-Tovar, Gina Paola Arocha Zuluaga, Andrea Ramírez Varela. "Factors influencing delivery of intersectoral actions to address infant stunting in Bogotá, Colombia a mixed methods case study.", Research Square, 2020, Crossref posted content, 0%
- $\bullet \quad \text{Vignan's Foundation for Science, Technology and Research University on 2020-06-20, submitted works, } 0\%$

ISSN-0973-9122 (Print) • ISSN-0973-9130 (Electronic)

Volume 14

Number 3

July-September 2020



# Indian Journal of Forensic Medicine & Toxicology

Website: www.ijfmt.com



Official Organ of Indian Association of Medico-Legal Experts (Regd.)

# Indian Journal of Forensic Medicine & Toxicology

# EDITOR in Chief Prof. R K Sharma

Formerly at All India Institute of Medical Sciences, New Delhi, E-mail: editor.ijfmt@gmail.com

#### **EDITOR**

#### Prof. Dr. Adarsh Kumar

Forensic Medicine & Toxicology, AIIMS, New Delhi

#### INTERNATIONAL EDITORIAL ADVISORY BOARD

- 1. Prof Mete Gulmen Cukurova University, TURKEY
- Prof. Leandro Duarte De Carvalho, Minas Gerais, Belo Horizante, Brazil
- Prof. Donata Favretto (Full Professor) Forensic Toxicology at University of Padova, Italy
- Prof. Babak Mostafazadeh Pepartment of Forensic Medicine & Toxicology, Shahid Beheshti University of Medical Sciences, Tehran-Iran
- 5. Prof Halis Dokgoz, Mersin University, TURKEY
- 6. Prof Jozef Sidlo, Comenius University, Bratislava, SLOVAKIA
- Dr. Rahul Pathak (Lecturer) Forensic Science, Dept of Life Sciences Anglia Ruskin University, Cambridge, United Kingdom
- Dr. Hareesh (Professor & Head) Forensic Medicine, Ayder Referral Hospital, College of Health Sciences, Mekelle University, Mekelle Ethiopia East Africa
- Dr. Mokhtar Ahmed Alhrani (Specialist) Forensic Medicine & Clinical Toxicology, Director of Forensic Medicine Unit, Attorney General's Office, Sana'a, Yemen
- Dr. Sarathchandra Kodikara (Senior Lecturer) Forensic Medicine, Department of Forensic Medicine, Faculty of Medicine, University of Peradeniya, Sri Lanka
- Dr Noha A. Magdie El Rafie, Forensic Toxicology, Ain Shams University, Cairo, EGYPT

#### SCIENTIFIC COMMITTEE

- Prof Udai Pratap Singh, Department of Anthropology Lucknow University Lucknow
- Dr Anil Rahule (Associate Professor) Dept of Anatomy, Govt Medical College Nagpur
- Dr Shankar Bakkanwar (Associate Professor) Forensic Medicine, Kasturba Medical College, Manipal, Karnatakad
- 4. Dr K. Ravikumar Raksha Shakti University, Ahmedabad, Gujrat.
- Dr. Pragnesh Parmar (Associate Professor) Forensic Medicine, Valsad, Gujrat
- Dr Vandana Mudda (Awati) (Associate Prof) Dept of FMT, M.R.Medical College, Gulbarga, Karnataka,
- Dr. Asha Srivastava (Senior Scientific Officer) Forensic Psychology, Central Forensic Science Laboratory, CBI, Delhi
- Dr. Lav Kesharwani (Asst.Prof.) School of Forensic Science, Sam Higginbottom Institute of Agriculture Technology & Sciences, Allahabad
- Dr. Anu Sharma (Associate Prof) Dept of Anatomy, DMCH, Ludhiana (PB)
- Dr. Shalini Gupta ( Prof ) Oral Pathology and Microbiology, Dental Sciences King George Medical University, Lucknow, UP
- 11. Dr Rituja Sharma, Associate Prof, Law Banasthali Vidyapeeth Jaipur

"Indian Journal of Forensic Medicine & Toxicology" is peer reviewed quarterly journal. It deals with Forensic Medicine, Forensic Science, Toxicology, DNA fingerprinting, sexual medicine and environment medicine. It has been assigned International standard serial No. p-097 3122 and e- 0973-9130. The Journal has been assigned RNI No. DELENG/2008/21789 ne journal is indexed with Index Copernicus (Poland) and is covered by EMBASE (Excerpta Cica Database). The journal is also abstracted in Chemical Abstracts (CAS) database (USA) in journal is also covered by EBSCO (USA) database. The Journal is now part of UGC, DST and CSIR Consortia. It is now offical publication of Indian Association of Medico-Legal Experts (Regd.).

#### NATIONAL EDITORIAL ADVISORY BOARD

Chairmai

Prof Sudhir K Gupta - Head, Department of Forensic Medicine India Institute of Medical Sciences, New Delhi

#### Members

- 1. Prof. SK Dhattarwal, Forensic Medicine, PGIMS, Rohtak, Haryana
- 2. Prof. N K Aggrawal Forensic Medicine, UCMS, Delhi
- Prof Ajay Ghangale Forensic Medicine Dr DY Patil Medical College, Pune, Maharashtra
- Dr. Amar Jyoti Patwory Professor, Forensic Medicine NEIGRIHMS, Shillong
- Dr S. Venkata Raghava Professor, Forensic Medicine, Banglore Medical College, Bengaluru
- Prof Praveen Arora, Professor Department of Forensic Medicine & Toxicology, SAIMS, Indore
- Dr. Pankaj Datta (Principal & Head) Department of Prosthodontics, Indraprastha Dental College & Hospital, Ghaziabad
- Dr. Mahindra Nagar (Head) Department of Anatomy, UCMS & GTB Hospital, Delhi
- Dr. Virender Kumar Chhoker Professor Forensic Medicine and Toxicology, Santosh Medical College, Ghaziabad, UP
- Dr. Dayanand G Gannur (Professor) Department of Forensic Medicine
   Toxicology, Shri BM Patil Medical College, Hospital & Research centre, Bijapur, Karnataka
- Dr. Alok Kumar Professor Pepartment of Forensic Medicine & Toxicology, UP Rural Institute of Medical Sciences and Research, Saifai, Etawah, U.P.

## 4rint-IS<u>SN</u>:0973-9122 Electronic - ISSn: 0973-9130

Frequency: Quarterly, All Rights respond The views and opinions expressed are of the authors and not of the Indian Jurnal of Forensic Medicine & Toxicology. Indian Journal of Forensic Medicine & Toxicology does not guarantee directly or indirectly the quality or efficacy of any products or service featured in the advertisement in the journal, which are purely commercial.

#### Website: www.ijfmt.com



Dr. R.K. Sharma

Institute of Medico-legal Publications
Logix City Centre Mall, Sector- 32, Noida

Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida
- 201 301 (Uttar Pradesh)

#### Printed, published and owned by

Dr. R.K. Sharma

Institute of Medico-legal Publications

Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida
- 201 301 (Uttar Pradesh)

#### Published at

#### Institute of Medico-legal Publications

Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida - 201 301 (Uttar Pradesh)

# Scores Consumption of Functional Foods based on Local Foods in Pregnant Women Buginese in the city of Makassar

## Mustamin<sup>1</sup>, Sirajuddin<sup>1,2</sup>, Tapriadi<sup>3</sup>

<sup>1</sup>Associate Professor in Nutrition and Dietetic Department of Health Polytechnic of Makassar, Indonesia, <sup>1.2</sup>Program Doctor of Public Health Hasanuddin University, Indonesia, <sup>3</sup>Associate professor in Nutrition and Dietetic Department of Health Polytechnic of Malang, Indonesia

#### Abstract

**Background** Recent evidence is known that functional foods are foods that provide the latest prospects for preventing nutritional problems not only because of their macro and micro nutrient content but their bioactive components that have an effect on the methylation process at the cellular level.

**Objective**: the purpose of this study was to determine the consumption of functional foods based on local foods in pregnant women in Makassar City

**Method:** A cross sectional study design. The sample size was 647 pregnant women taken from 41 Puskesmas in Makassar City, except the Sangarrang Kepulauan Puskesmas. Functional food intake was collected using the FFQ method, Macro and micro nutrient intake with Food recall 2 x 24 hours. The data collection enumerators were 21 graduates from Nutrition III / IV graduates. Enumerators are trained for two days.

**Results**; showed that functional foods consumed by pregnant women based on local foods are sources of fiber, probiotics, Vitamin C, carotenoids, omega 3/9 and folifenol respectively (39.03  $\pm$  36.78), (21.15  $\pm$  7.74), (38.44  $\pm$  30.9), (90.04  $\pm$  50.53), (83.42  $\pm$  60.42) and 166.57  $\pm$  92.66). **Conclusion**; is that consumption of functional foods based on local foods in pregnant women is good.

Keywords: Score Consumption of Functional Foods, Pregnant Women

#### Introduction

The most serious nutritional problem in Indonesia is stunting. National stunting prevalence is 36% and South Sulawesi reaches 30.8%<sup>1</sup>. The impact caused by stunting is low academic potential, high risk of noncommunicable diseases, high cost burden on health services and low productivity. Stunting problems must be prevented, because the incidence of stunting from birth is difficult to treat. Prevention of stunting starts from the preconception. This means that starting from pre-pregnancy and pregnancy<sup>2,3,4</sup>.

#### Corresponding Author: Sirajuddin

Nutrition Departmen of Healh Polytechnic of Makassar, Jalan Paccerakkang KM 14 Daya Sulawesi Selatan, Indonesia, email: sirajuddin.gizi@poltekkes-mks.ac.id Prevention of stunting is most appropriate through the consumption of food with sufficient quality and quantity. Problems faced to meet the quality and quantity of food according to nutritional needs are income, preferences, availability and knowledge of nutrition<sup>5,6,7,8</sup>.

The fact of the income of the population of Indonesia, South Sulawesi, and Makassar City has an increasing tendency. The availability of local food varies considerably between regions and production centers both in villages and in cities. A change to the diversity of food from local food to fast food. There is a gap between supporting food potential and the emergence of serious nutritional problems in Indonesia, South Sulawesi and Makassar City. The clearest solution is to ensure that pregnant women consume enough food according to their nutritional<sup>9,10</sup>. The most potential food to be developed is functional food based on local

2067

food, because this intervention is sustainable and has a real impact on improving the health status of mothers and fetuses. 11,12. The research question is how much the potential for functional food on local food, for pregnant. The objective of this study is to identify scores consumption of functional foods based on local food, for pregnant in the city of Makassar, Indonesia

#### Method

The study design was a cross sectional study approach. The sample is pregnant women in the city of Makassar. Sample size was 647 people by random sampling selected. The sample frame was taken from a cohort of pregnant women available at data base on center of Public Health Offices Biringkanaya Subdistric of Makassar Indonesia. Data collectors by dietisien had been training during 16 hours. Instrument used to Food Frequency Questionaire (FFQ) had been standardized the reliability and validity based on Buginese Ethnicity.

Data of functional food consumption was collected used the FFQ method. The scores of functional foods based on local foods are analyzed for their antioxidant activities. Quality control of data collection by supervisor visiting for all enumerators. Data processing is done by SPSS application, and data analysed by frequency distribution. The study was approved by the Institutionl Review Board of Health Polytehnic of Makassar and South Sulawesi Province Licensing Service No:18414/s01/PTSP/2019. We obtained written inform concent from the subject.

#### Results

Food Consumption Scores according to bioactive substances

Table 1. Consumption of Functional Active Food Substances

Functional Food Consumption	n	mean	Std. Deviation
Fiber	647	39.03	36.78
Prebiotics, Probiotics, and Symbiotics	647	2 1.15	7.74
Vitamin C	647	38.44	30.96
Caratoid	647	90.04	50.34
Omega 3 and 9	645	83.42	60.56
Polyfenol	647	166.57	92.66

Based on the results of data analysis, it is known that the highest score of functional food consumption in pregnant women is the source material of polyphenols, carotenoids (90.04  $\pm$  50.34) and Omega 3 + omega 9 (83.42  $\pm$  60.56).

Based on the survey results it is known that the categories of micronutrient intake of Fe, Zinc, Vitamin C and Vitamin A are in the 57.34%, 92.27%, 92.275 and 93.5% categories respectively. This proves that there is still attention to the adequacy of iron sources.

#### Discussion

This survey is intended to describe the consumption of functional food in pregnant women in Makassar City. The results are known that pregnant women have consumed functional foods based on local foods appropriately and this is evidence that the potential of local foods can be increased to support the improvement of nutrition of pregnant women. Functional food has the advantage in containing a very rich source of non -nutritional substances as antioxidants. Consumption of probiotics, symbiotics and probiotics in pregnant women in Makassar is an average of  $21.15 \pm 7.71$  point scores. This is equivalent to consumption of almost four days a week consuming sources of probiotics. A point score of 5 means consuming a source of probiotics once a week so with a score of 21 it is estimated to consume 4 days a week.

Consumption of fiber sources is reaching a value of 39,  $03 \pm 36.78$  is included in the category quite good, because every day must consume a source of fiber as a functional food based on local food. Consumption of Vitamin C sources is 38,  $44 \pm 30.96$  which means that every day pregnant women consume foods that contain vitamin C sources. Consumption of Omega 3 and Omega 9 sources is very high, reaching  $83.42 \pm 60.56$  which means this that in a week already every day consume sources of omega 3 and omge 9. This generally comes from sea fish. Food consumption of polyphenol sources is the highest among all other food ingredients. This consumption reached 166,  $57 \pm 92.66$  point scores.

There is a gap between supporting food potential and the emergence of serious nutritional problems in Indonesia, South Sulawesi and Makassar City. Which way out most obvious is to ensure that pregnant women consume enough food according to nutritional needs and ensure consumption of baby food during the first 1000 days of life.<sup>8</sup>, The most potential food to be developed

# 2068 andian Journal of Forensic Medicine & Toxicology, July-September 2020, Vol. 14, No. 3

is functional food based on local food, because this intervention is sustainable and has a real impact on improving the health status of mothers and children. The results of research on literature reviews conducted in America and Europe provide general guidelines about the causal relationship between food provided and health benefits. Nonetheless, they need to broaden the depth and scope of the guidelines given to companies that want to prove their claims and to provide precise information about functional foods.<sup>13</sup>

The fiber component consumed by each subject is multi-functional. In research it has been proven that pregnant women consume local food-based analytical functions, one of which is because it is a source of fiber. The emergence of a growing understanding of the structure and function of food fiber, discussed about the concept of resistance to the action of human digestive enzymes. He also said that it is not only carbohydrates (cellulose, hemicellulose, pectin etc.) which are the main components, but lignin which is a type of non-carbohydrate is also included in dietary fiber. The Canadian Ministry of Health (1988) published "Safety Guidelines and Physiological Effects of Fiber Sources and Food Products" and included nonstarch polysaccharides from plants as a source of new fiber. Because it's mentioned that novelty is a source of meaningful fiber. It was only in 2001 when the Institute of Medicine (IOM) expanded the scope of the definition to even isolate and synthesize carbohydrates by categorizing them into three parts namely food fiber, functional fiber and total food fiber (IOM, 2005). In 2009, Codex categorized the definition into three parts, firstly referring to naturally edible carbohydrates, secondly obtained from food raw materials with physical, chemical or enzymatic care and the third including those synthesized artificially.14

Probiotics have significant benefits in improving maternal health. Improving the health status of pregnant women significantly increases the quality of pregnancy and pregnancy output such as the baby's lag weight and baby's height status. This is certainly related to efforts to improve the nutritional status of mothers and children. Scientific evidence has been found that fiber and probiotics can prevent damage to epithelial cells during an infection. Improved digestive function and immune system. So it can be believed that mothers who have a source of fiber and probiotic consumption in this research have had direct benefits for themselves and their fetuses. 15, used probiotics to prevent diarrhea in all

age groups, <sup>16</sup>. Based on the great benefits of fiber and probiotics, in the food industry the value of probiotics and fiber have become items of concern to producers and consumers alike, including pregnant women. <sup>16</sup>

#### Conclusion

The highest consumption of functional foods based on local food is the source of polyphenols.

Ethical Clearance: This study approved ethical clearance from the Committee of Research Ethics of Health Polytechnic of Makassar, Indonesia. We followed guideline from Committee of Depertement Research Ethics of Health Polytechnic of Makassar, Indonesia for ethical clearance and informed consent. The informed consent included the research title, purpose, participants' right, confidentiality, and signature.

**Source Funding:** The source of this research costs from Health Polytechnic of Makassar.

Conflict of Interest: The authors declare that they have no conflict interests

#### References

- Health Research and Development Body Ministry of Health Republic of Indonesia. Basic Health Research Report of Indonesia Year 2018. Riskesdas 2018. 2018:182-183.
- Shekar M, Kakietek J, D'Alimonte MR, et al. Reaching the global target to reduce stunting: An investment framework. *Health Policy Plan*. 2017;32(5):657-668. doi:10.1093/heapol/czw184
- Beal T, Tumilowicz A, Sutrisna A, Izwardy D, Neufeld LM. A review of child stunting determinants in Indonesia. *Matern Child Nutr*. 2018;14(4):1-10. doi:10.1111/mcn.12617
- Beatty A, Ingwersen N, Leith W, Null C. Stunting Prevalence and Correlates Among Children in Indonesia. Math Policy Res Publ Reports. 2017;2013(JuLY):1-5. https://search.proquest. com/docview/2083823771?accountid=17242.
- LAwrence Haddad, Endang Achadi, Mohamed Ag Bendech, Arti Ahuja, Komal Bhatia, Zulfiqar Bhutta, Monika Blossner EB. Global Nutrition Report Actions and Accontability to Accelerate The Wordlds Progress on Nutrition.; 2014.
- Beckett C, Durnin J, Aitchison TC, Pollitt E. Effects of an energy and micronutrient supplement

- on anthropometry in undernourished children in Indonesia. 2000.
- Bilal SM, Moser A, Blanco R, Spigt M, Dinant GJ. Practices and Challenges of Growth Monitoring and Promotion in Ethiopia: A Qualitative Study. 2015;32(3):441-451.
- Schröders J, Wall S, Kusnanto H, Ng N. Millennium Development Goal Four and Child Health Inequities in Indonesia: A Systematic Review of the Literature. *PLoS One*. 2015;10(5):e0123629. doi:10.1371/journal.pone.0123629
- Paknawin-Mock J, Jarvis L, Jahari a B, Husaini M a, Pollitt E. Community-level determinants of child growth in an Indonesian tea plantation. Eur J Clin Nutr. 2000;54 Suppl 2:S28-S42.
- Moench-Pfanner R, de Pee S, Bloem MW, Foote D, Kosen S, Webb P. Food-for-work programs in Indonesia had a limited effect on anemia. *J Nutr*. 2005;135(6):1423-1429.
- Sirajuddin. Food Trade Does Not Exist, Contributing to Malnutrition in Asmat Ethnicity. In: Annals of Nutrition and Metabolism. Vol 75.; 2019:I-II. doi:10.1159/000501752

- Marsden T and JM. Between The Local and The Global. San Francisco: Elsevier; 2006.
- Braun R, Catalani C, Wimbush J, Israelski D. Community Health Workers and Mobile Technology: A Systematic Review of the Literature. 2013;8(6). doi:10.1371/journal.pone.0065772
- Sharma SK, Bansal S, Mangal M, Dixit AK, Gupta RK, Mangal AK. Utilization of food processing byproducts as dietary, functional, and novel fiber: A review. Crit Rev Food Sci Nutr. 2016;56(10):1647-1661. doi:10.1080/10408398.2013.794327
- McKeen S, Young W, Mullaney J, Fraser K, McNabb WC, Roy NC. Infant Complementary Feeding of Prebiotics for the Microbiome and Immunity. *Nutrients*. 2019;11(2):364. doi:10.3390/ nu11020364
- Penny E. Zinc supplementation as adjunct therapy in diarrhea has been shown to be efficacious with a potential to reduce morbidity and mortality Zinc Supplementation in Public Health Zinc Supplementation in Public Health. 2013. doi:10.1159/000348263